

PCSA-B768S

ISDN unit for PCS Series Video Communication System



Overview

This ISDN interface unit is designed for use exclusively with Sony PCS Series Video Communication Systems.

Up to six ISDN lines can be connected (via 12B channels), providing a total bandwidth of 768kbps for multi-point conferences with smooth, crisp sound and picture quality.

Features

- **Hold conferences over ISDN**

Video conferences can be held over standard ISDN lines as an alternative to using a broadband (IP) network connection.

- **Use up to three ISDN lines simultaneously**

Boost your conference bandwidth by connecting up to six ISDN lines via 12B channels. Support for ITU-T H.320 standards gives total available bandwidth of up to 768 kbps via ISDN.

- **Compatible with Sony PCS Series**

The PCSA-B768S is designed for use exclusively with Sony PCS Series Video Communication Systems.

Compatible Products

Video Conference



PCS-G60DP

Standard Definition Video Conferencing System



PCS-XA55

High Definition Video Conferencing System



PCS-XA80

High Definition Video Conferencing System



PCS-XG100H

Full HD High Definition Videoconferencing System



PCS-XG100S

Full HD Videoconferencing System (codec only)



PCS-XG55

High Definition Video Conferencing System



PCS-XG77H

High Definition Videoconferencing System



PCS-XG77S

HD Videoconferencing System (codec only)



PCS-XG80

1080 High Definition Video Conferencing System



PCS-XL55

HD Desktop Video Conferencing System