

horion

SUPER INTERACTIVE FLAT PANEL



Shenzhen Horion Intelligent Technology Co.,LTD

Address: Area E, 2nd Floor, Building 1, No. 4023, Wuhe Avenue, Gangtou Community, Bantian Subdistrict, Longgang District, Shenzhen
Website: <https://www.horion.com>

Note: The relevant data is for reference only. The specific parameters are subject to the actual product. The information has been carefully checked and is accurate to the best of our knowledge. The product function is subject to change without notice. The company reserves the right to final interpretation of the content.

horion

SUPER INTERACTIVE FLAT PANEL




www.horion.com



Riorion

**THE NEW IMAGE OF
HIGH-END
CONFERENCE**

The design comes from European design masters. It has obtained a national patent and can help upgrade conference room image.





Horion —

AFFILIATE OF KTC GROUP

100,000 m2 Shenzhen R&D base

280,000 m2 Huizhou production base

6,000 employees

China Top 100 Electronics Enterprise for 9 consecutive years

China Top 500 Private Enterprise in Manufacturing Industry for 3 consecutive years

General Distributor of LG China Commercial Display





FINE WRITING

■ 1mm detection precision 20 points touch control



M3A brand new writing software, 1MM detection precision, single-point/multi-point writing modes. Two writing modes available, intelligent handwriting algorithm, refined strokes to deliver amazing writing experience.

■ Easy to add comments

Just click on the "Annotate" button to give annotations on any interface you like, and it can be saved through the screenshot.

■ Easy to share through the QR code

You can share content via U disk, or email, or you can generate a QR code, then scan it with cellphone and review it later.





WIRELESS SCREEN MIRRORING EASY TO SHARE

○ Wireless screen mirroring Easy to display content

The Horion interactive flat panel brings a new way of interaction. It supports screen mirroring with computer, mobile phone and tablet to facilitate better conference display, information sharing and communication.

○ Two way control Enhanced interaction

With the Horion screen mirroring device connected to the computer, you can control the computer via interactive flat panel. And this helps to realize two way control.

○ Split screen display Easy to make comparison

Split the screen into 4 identical parts to display contents from multiple devices: cellphone, tablet or computer. With this way multiple users and devices can use interactive flat panel at the same time.



Mirroring PC to interactive flat panel

1. Insert the screen mirroring device into interactive flat panel for pairing;
2. Insert the paired screen mirroring device into the laptop;
3. Tap the screen mirroring device to get started.



Mirroring iPad, mobile phone to interactive flat panel

For Android mobile phone, an app must be downloaded before mirroring; For iPhone and iPad, use its screen mirroring function to interact with the conference interactive flat panel in real time.



REMOTE CLOUD CONFERENCE ZERO DISTANCE COLLABORATION

The unique cloud conferencing system supports screen sharing with mobile phone, tablet, computer, and interactive flat panel without space limit. It can realize real-time, smooth, face-to-face communication, sharing and collaboration through two-way touch screen.

MORE APPLICATIONS...



VOTEKIT
Easy&smart votekit



WelcomePage
Self-defined welcome interface



FEEDBACK
Give prompt feedback and respond instantly



SMART WAKE UP FUNCTION
Just tap the screen to wake up the device



Timer
Setcountdowneasily



MULTI-CHANNEL ANNOTATION
Annotate anywhere you like and it can be easily saved



MIRRORING SMALL SCREEN TO BIG SCREEN WIDER VIEW

Content on interactive flat panel can be displayed on the projection screen and the computer simultaneously, and the images are clear and play smoothly. You can write, annotate, touch to flip pages on interactive flat panel, and all operations will be synchronized on the three screens. This enables direct and fast information transmission.



4K·SCREEN

For 4K ultra-high-definition screen, LG IPS is the best choice as it comes with high contrast and wide color gamut. The fifth generation color engine chip presents you with more natural picture quality.

TEMPERED GLASS PROTECTION

The tempered glass with AG film effectively eliminates strong glare, clearly presents screen content, and captures every detail, just to provide you with a wonderful visual experience.



- ① TOUCH PROTECTION LAYER
- ② ANTI-GLARE LAYER
- ③ 4MM TEMPERED GLASS LAYER, GRADE 7 MOHS HARDNESS





M3A

OFFERS FAR MORE THAN WHAT YOU CAN SEE

The precise infrared touch control technology brings a true writing experience; the powerful dual-system independent module, and the LG 4K display with narrow bezel delivers extraordinary visual experience and human-computer interaction.

- **LG 4K SCREEN**
lg 4k screen, image as closer as the real nature
- **ELEGANT APPEARANCE**
narrow bezel 7mm depth of cushion
- **QUAD CORE HIGH PERFORMANCE CPU**
dual a73+a53 cpu structure, 3+32g large memory
- **MULTIPLE APPLICATIONS**
Built-in WPS, vote kit, timer and other conference-related software
- **HD IMAGE**
image motion compensation, color enhancement
- **MODULAR DESIGN**
android system (standard), windows system (optional)

M3A series product parameters

| MODEL | 55M3A | 65M3A | 75M3A | 86M3A | 98M3A |
|--|--|-----------------------------------|-----------------------------------|-----------------------------------|------------------------------------|
| Size | 55" | 65" | 75" | 86" | 98" |
| Display | | | | | |
| Backlight type | D-LED | D-LED | D-LED | D-LED | D-LED |
| Resolution | 3840*2160 (4K) | 3840* 160 (4K) | 3840*2160 (4K) | 3840*2160 (4K) | 3840*2160 (4K) |
| Brightness | 350cd/m ² | 450cd/m ² | 450cd/m ² | 400cd/m ² | 450cd/m ² |
| Contrast Ratio | 1300:1 | 1300:1 | 1200:1 | 1200:1 | 1300:1 |
| Response Time | 6ms | 6ms | 8ms | 8ms | 6ms |
| Pixel Pitch | 0.420mm*0.315mm | 0.496mm*0.372mm | 0.429mm*0.429mm | 0.4935mm*0.4935mm | 0.5622mm*0.5622mm |
| Refreshing frequency | 60Hz | 60Hz | 60Hz | 60Hz | 60Hz |
| Viewing angle | 178°(H)/178°(V) | 178°(H)/178°(V) | 178°(H)/178°(V) | 178°(H)/178°(V) | 178°(H)/178°(V) |
| Color Gamut | 65% | 65% | 65% | 65% | 65% |
| View area | 1209.6mm*680.4mm | 1428.48mm*803.52mm | 1647.36mm*926.64mm | 1895.04mm*1065.96mm | 2158.848mm*1214.35 mm |
| Display Colors | 1.07B(10bit) | 1.07B(10bit) | 1.07B(10bit) | 1.07B(10bit) | 1.07B(10bit) |
| Life Time | 30,000hrs | 30,000hrs | 30,000hrs | 30,000hrs | 30,000hrs |
| System Properties | | | | | |
| Architecture | ARM A73+A53 | ARM A73+A53 | ARM A73+A53 | ARM A73+A53 | ARM A73+A53 |
| Working Frequency | 1.5GHz | 1.5GHz | 1.5GHz | 1.5GHz | 1.5GHz |
| Core | Quad Core | Quad Core | Quad Core | Quad Core | Quad Core |
| GPU | Mali-G51 | Mali-G51 | Mali-G51 | Mali-G51 | Mali-G51 |
| RAM | 3GB | 3GB | 3GB | 3GB | 3GB |
| ROM | 32GB | 32GB | 32GB | 32GB | 32GB |
| Power | | | | | |
| voltage | 100V~ 40V/AC,50/60Hz | 100V~240V/AC,50/60Hz | 100V~240V/AC,50/60Hz | 100V~240V/AC,50/60Hz | 100V~ 40V/AC,50/60Hz |
| Power consumption without OPS | 140W | 170W | 400W | 440W | 480W |
| Power consumption in standby mode | <0.5W | <0.5W | <0.5W | <0.5W | <0.5W |
| Power(AC) Input | *1 | *1 | *1 | *1 | *1 |
| Interface | | | | | |
| HDMI IN | *2(HDMI2 4K 60HZ Supported) | *2(HDMI2 4K 60HZ Supported) | *2(HDMI2 4K 60HZ Supported) | *2(HDMI2 4K 60HZ Supported) | *2(HDMI2 4K 60HZ Supported) |
| LAN | *1 | *1 | *1 | *1 | *1 |
| VGA IN | *1 | *1 | *1 | *1 | *1 |
| PC-AUDIO IN | *1 | *1 | *1 | *1 | *1 |
| S/PDIF OUT | *1 | *1 | *1 | *1 | *1 |
| OPS | *1 | *1 | *1 | *1 | *1 |
| MEDIA-USB | *3 | *3 | *3 | *3 | *3 |
| TOUCH-USB | *1 | *1 | *1 | *1 | *1 |
| Earphone OUT | *1 | *1 | *1 | *1 | *1 |
| HDMI OUT | *1 | *1 | *1 | *1 | *1 |
| Structure | | | | | |
| Net Weight | 31.5Kg±1.5Kg | 43.5Kg±1.5Kg | 58Kg±1.5Kg | 76Kg±1.5Kg | 136.3Kg±1.5Kg |
| Gross Weight | 42Kg±1.5Kg(Heavy Carton) | 56Kg±1.5Kg(Heavy Carton) | 78.2Kg±1.5Kg(Heavy Carton) | 98Kg±1.5Kg(Heavy Carton) | 187.5Kg±1.5Kg (Heavy carton) |
| Product Size (mm)(W x D x H) | 1304.0mm*93.5mm*774.8mm | 1511.95mm*98.6mm*887mm | 1741.7mm*103.4mm*1020.2mm | 1995.2mm*111.9mm*1166.3mm | 2242 mm*117 mm*1298 mm |
| Package Size (mm)W x D x H | 1420mm*245mm*910mm(Heavy Carton) | 1660mm*245mm*1045mm(Heavy Carton) | 1880mm*280mm*1160mm(Heavy Carton) | 2140mm*280mm*1340mm(Heavy Carton) | 2525mm*435mm*1750mm (Heavy carton) |
| VESA | 4-M6 Screw Hole 400mm*400mm | 4-M8 Screw Hole 600mm*400mm | 4-M8 Screw Hole 600mm*400mm | 4-M8 Screw Hole 700mm*400mm | 4-M8 Screw Hole 700mm*400mm |
| Housing Material | Aluminum/Metal Plate | Aluminum/Metal Plate | Aluminum/Metal Plate | Aluminum/Metal Plate | Aluminum/Metal Plate |
| Housing Color | Deep Gun(White)/Black | Deep Gun(White)/Black | Deep Gun(White)/Black | Deep Gun(White)/Black | Deep Gun(White)/Black |
| Touch System | | | | | |
| Sensing Type | Infrare Touch Frame | Infrare Touch Frame | Infrare Touch Frame | Infrare Touch Frame | Infrare Touch Frame |
| Surface Protection | 4mm AG Tempered Glass | 4mm AG Tempered Glass | 4mm AG Tempered Glass | 4mm AG Tempered Glass | 4mm AG Tempered Glass |
| Response time | <10ms | <10ms | <10ms | <10ms | <10ms |
| Touch Accuracy | ±1mm | ±1mm | ±1mm | ±1mm | ±1mm |
| Input mode | Finger/Writing Pen | Finger/Writing Pen | Finger/Writing Pen | Finger/Writing Pen | Finger/Writing Pen |
| Operating systems | | | | | |
| Multi-touch supported operating system | Windows 7/8/10, Windows 7 Professional, Windows 7 Home Premium, Android, the above systems shall have multi-touch function, and the operation system must be original (GHOST version), otherwise the multi-touch function can be affected. | | | | |

Note: The relevant data is for reference only. The specific parameters are subject to the actual product. The information has been carefully checked and is accurate to the best of our knowledge. The product function is subject to change without notice. The company reserves the right to final interpretation of the content.

NEW SMART PEN

Three-key design Easy to use



NEW WRITING PEN



SMART PEN

Left mouse button/indicative function (long press to call out flying mouse, release to switch off flying mouse)



MOBILE BRACKET
Strong and stable,easy to move



MICROPHONE
360-degree sound acquisition
noise reduction



CAMERA
HD lens,autofocus



SCREEN MIRRORING DEVICE
One button screen mirroring, share in real time



OPS COMPUTER
Powerful performance,
ready to use instantly



STORAGE BOX
Convenient storage



GOVERNMENT AGENCIES

Horion interactive flat panel walked into government agencies and institutions, streamlining business processes, improving efficiency, and helping build a more efficient service-oriented government.



HUIZHOU DISTRICT CUSTOMS



GUIZHOU FOOD BUREAU



SHENZHEN COURT



GUIZHOU JUSTICE BUREAU



CHINA CUSTOMS



CHINA EARTHQUAKE ADMINISTRATION

BANKS

More and more banks introduced Horion interactive flat panel. With its help, they realize innovation and upgrade services to provide customers with efficient and convenient all-round services.



BANK OF CHINA



ICBC



CHINA EVERBRIGHT BANK



BANK OF COMMUNICATIONS



BAOSHANG BANK



CHINA CONSTRUCTION BANK

REAL ESTATE

Horion interactive flat panel supports multi-touch function. You can handwrite to input words by touching the screen, play videos of real estate industry, and search and compare the house type as you need on the flat panel.



SHAANXI CONSTRUCTION GROUP



WANYE REAL ESTATE



** CONSTRUCTION GROUP



ZHONG * GREEN BUILDING



JINKE REAL ESTATE



BEIJING ** CONSTRUCTION GROUP

SCHOOLS

Horion interactive flat panel is gradually becoming a "little assistant" for teachers and students in schools and universities. It keeps teachers and students away from dust, and presents diversified teaching methods for teachers, making the classroom atmosphere more relaxed and improving learning interest and teaching quality.



TSINGHUA UNIVERSITY



SHENZHEN UNIVERSITY



SHANGHAI JIAOTONG UNIVERSITY



GUANGDONG SHANWEI ** SCHOOL

TRAINING INSTITUTIONS

Only after advanced technical products are deeply integrated with teaching they can really bring changes in teaching. Horion interactive flat panel contributes to education informatization by providing high-quality products and services.



BEIJING ** CONSTRUCTION GROUP



MARINE POLICE COLLEGE



HUNAN ** SCHOOL

MANUFACTURING INDUSTRY

As technology collides with tradition, Horion interactive flat panel injects new vitality into the manufacturing industry, brings more convenient and efficient interactive conference experience, and improves the efficiency of team communication and collaboration.



Guiyang ** Electromechanical Co., Ltd.



Chengdu ** Wood Industry Co., Ltd.



Chongqing ** Co., Ltd.



Henan ** High Technology Co., Ltd.



TCL** Co., Ltd.



Jiaozuo** Co., Ltd.

ENTERPRISES

When brainstorming, enterprises use Horion interactive flat panel to write and discuss, freely express their will, and easily capture ideas, which not only improves the efficiency of the meeting, but also allows inspiration to collide at any time and stimulate the potential of Innovation.



INNER MONGOLIA ** POWER GROUP



HANGZHOU ** FUND TOWNSHIP



ZHENG ** INVESTMENT GROUP



SHENZHEN ** NEWSPAPER GROUP



SINOPEC MEETING ROOM



SINOGRain



URUMCHI AIRPORT



WUHAN** AIRPORT